

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23/08/2013

Revision date: 08/05/2017

Supersedes: 23/08/2013

Version: 2.0



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixtures  
Product name : C-clean  
Product code : 2070002  
Type of product : Detergent  
Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only  
Industrial  
Use of the substance/mixture : Powerful cleaner, spray

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Blygold International B.V.  
Hoofdveste 13  
3992 DH Houten - Nederland  
T 030-6344344 - F 030-6344300  
[info@blygold.com](mailto:info@blygold.com)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Netherlands	Nationaal Vergiftigingen Informatie Centrum Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen	Postbus 85500 3508 GA Utrecht	+31 30 274 88 88

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229  
Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
STOT SE 3 H336  
Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS09

Signal word (CLP) : Danger  
Hazardous ingredients : Hydrocarbons  
Hazard statements (CLP) : H222 - Extremely flammable aerosol  
H229 - Pressurised container: May burst if heated  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H411 - Toxic to aquatic life with long lasting effects  
Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P211 - Do not spray on an open flame or other ignition source  
P251 - Do not pierce or burn, even after use  
P261 - Avoid breathing vapours, spray  
P271 - Use only outdoors or in a well-ventilated area  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphtha (petroleum), hydrodesulfurized light, dearomatized, (benzene < 0,1%)	(CAS-No.) 92045-53-9 (EC-No.) 927-510-4 (EC Index-No.) 649-383-00-1 (REACH-no) 01-2119475515-33	25 - 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Naphtha (petroleum), hydrotreated light,	(CAS-No.) 64742-49-0 (EC-No.) 921-024-6 (EC Index-No.) 649-328-00-1 (REACH-no) 01-2119475514-35	10 - 25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Muta. Not classified Carc. Not classified STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
acetone	(CAS-No.) 67-64-1 (EC-No.) 200-662-2 (EC Index-No.) 606-001-00-8	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
propan-2-ol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Hydrocarbons, C6, isoalkanes, <5% n-hexane	(EC-No.) 931-254-9 (REACH-no) 01-2119484651-34	5 - 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
carbon dioxide substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (NL)	(CAS-No.) 124-38-9 (EC-No.) 204-696-9	1 - 5	Press. Gas (Comp.), H280

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.  
Symptoms/effects after skin contact : Irritation.  
Symptoms/effects after eye contact : Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Carbon dioxide. Dry powder. Foam.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.  
Explosion hazard : Pressurised container: May burst if heated.

#### 5.3. Advice for firefighters

Firefighting instructions : On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Mechanically recover the product.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep container tightly closed.

#### 7.3. Specific end use(s)

Powerful cleaner, spray.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Naphtha (petroleum), hydrotreated light, (64742-49-0)		
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> oil mist
acetone (67-64-1)		
EU	Local name	Acetone
EU	IOELV TWA (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	500 ppm
Netherlands	Local name	Aceton
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	1210 mg/m <sup>3</sup>

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>acetone (67-64-1)</b>		
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	2420 mg/m <sup>3</sup>
<b>carbon dioxide (124-38-9)</b>		
EU	Local name	Carbon dioxide
EU	IOELV TWA (mg/m <sup>3</sup> )	9000 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	5000 ppm
Netherlands	Local name	Kooldioxide
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	9000 mg/m <sup>3</sup>

### 8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; ≥ 0,5 mm thickness). This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.
Eye protection	: tight fitting safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Gas mask with filter type A
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid under pressure. Aerosol.
Colour	: Colourless.
Odour	: Solvents.
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: 2.8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 56 - 99 °C
Flash point	: -26 °C
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour Pressure 20°C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.714
Solubility	: Insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: ≥ 0.9 vol % Upper limit unknown

### 9.2. Other information

VOC content	: 685 g/l
-------------	-----------

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Carbon oxides (CO, CO<sub>2</sub>). Extremely flammable aerosol. Pressurised container: May burst if heated. Under fire conditions, hazardous fumes will be present.

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Naphtha (petroleum), hydrotreated light, (64742-49-0)</b>	
LD50 oral rat	> 5000 mg/kg

<b>acetone (67-64-1)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 15000 mg/kg
LC50 inhalation rat (mg/l)	76 mg/l/4h

<b>propan-2-ol (67-63-0)</b>	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	12882 mg/kg
LC50 inhalation rat (ppm)	> 1000 ppm 6 hr

<b>Naphtha (petroleum), hydrodesulfurized light, dearomatized,(benzene&lt;0,1%) (92045-53-9)</b>	
LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rat	≥ 2000 mg/kg

Skin corrosion/irritation	: Causes skin irritation. pH: Not applicable
Serious eye damage/irritation	: Causes serious eye irritation. pH: Not applicable
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

<b>C-clean</b>	
Vaporizer	Aerosol
Not able to form a pool	Yes

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

<b>acetone (67-64-1)</b>	
LC50 fish 1	> 5000 mg/l 96h
EC50 Daphnia 1	> 10000 mg/l 48h

<b>propan-2-ol (67-63-0)</b>	
LC50 fish 1	9640 mg/l 96h

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>propan-2-ol (67-63-0)</b>	
ErC50 (algae)	> 1000 mg/l 72h

### 12.2. Persistence and degradability

<b>propan-2-ol (67-63-0)</b>	
Persistence and degradability	Readily biodegradable in water.
Biodegradation	> 70 %

### 12.3. Bioaccumulative potential

<b>acetone (67-64-1)</b>	
Bioconcentration factor (BCF REACH)	1
Log Pow	-0.2

<b>propan-2-ol (67-63-0)</b>	
Bioconcentration factor (BCF REACH)	> 3
Log Pow	0.05

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

## SECTION 14: Transport information

In accordance with ADR

### 14.1. UN number

UN-No. (ADR) : 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1



### 14.4. Packing group

Packing group (ADR) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : Yes

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : 5F

Tunnel restriction code (ADR) : D

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	C-clean - acetone, propan-2-one, propanone - propan-2-ol, isopropyl alcohol, isopropanol - Naphtha (petroleum), hydrotreated light, - Naphtha (petroleum), hydrodesulfurized light, dearomatized, (benzene<0,1%) - Hydrocarbons, C6, isoalkanes, <5% n-hexane
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	C-clean - acetone, propan-2-one, propanone - propan-2-ol, isopropyl alcohol, isopropanol - Naphtha (petroleum), hydrotreated light, - Naphtha (petroleum), hydrodesulfurized light, dearomatized, (benzene<0,1%) - Hydrocarbons, C6, isoalkanes, <5% n-hexane
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	C-clean - acetone, propan-2-one, propanone - propan-2-ol, isopropyl alcohol, isopropanol - Naphtha (petroleum), hydrotreated light, - Naphtha (petroleum), hydrodesulfurized light, dearomatized, (benzene<0,1%) - Hydrocarbons, C6, isoalkanes, <5% n-hexane
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	C-clean - Naphtha (petroleum), hydrotreated light, - Naphtha (petroleum), hydrodesulfurized light, dearomatized, (benzene<0,1%) - Hydrocarbons, C6, isoalkanes, <5% n-hexane
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	acetone, propan-2-one, propanone - propan-2-ol, isopropyl alcohol, isopropanol - Naphtha (petroleum), hydrotreated light, - Naphtha (petroleum), hydrodesulfurized light, dearomatized, (benzene<0,1%) - Hydrocarbons, C6, isoalkanes, <5% n-hexane

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 685 g/l

Detergent Regulation : Labelling of contents:

Component	%
aliphatic hydrocarbons	>=30%

#### 15.1.2. National regulations

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Indication of changes:

	Supersedes	Added	
	Revision date	Added	
	Type of product	Added	
1.2	Industrial/Professional use spec	Modified	

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]	Removed	
2.2	Precautionary statements (CLP)	Removed	
2.2	Extra phrases	Removed	
2.2	S-phrases	Removed	
2.2	R-phrases	Removed	
2.2	Hazard symbols	Removed	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures general	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after eye contact	Modified	
4.2	Symptoms/effects after eye contact	Added	
4.2	Symptoms/effects	Added	
4.2	Symptoms/effects after skin contact	Modified	
4.2	Symptoms/effects after inhalation	Removed	
4.3	Other medical advice or treatment	Added	
5.1	Suitable extinguishing media	Modified	
5.2	Fire hazard	Modified	
5.2	Explosion hazard	Modified	
5.3	Protection during firefighting	Modified	
5.3	Firefighting instructions	Modified	
6.1	General measures	Removed	
6.1	Protective equipment	Modified	
6.2	Environmental precautions	Modified	
6.3	Other information	Added	
6.3	For containment	Added	
6.3	Methods for cleaning up	Modified	
6.4	Reference to other sections (8, 13)	Modified	
7.1	Hygiene measures	Modified	
7.1	Additional hazards when processed	Removed	
7.1	Precautions for safe handling	Modified	
7.2	Incompatible materials	Removed	
7.2	Technical measures	Removed	
7.2	Storage conditions	Modified	
8.2	Hand protection	Modified	
8.2	Respiratory protection	Modified	
8.2	Appropriate engineering controls	Added	
8.2	Environmental exposure controls	Added	
8.2	Personal protective equipment	Removed	



# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2	Eye protection	Modified	
9.1	Explosive properties	Added	
9.1	Flammability (solid, gas)	Modified	
9.1	Relative density	Modified	
9.1	Density	Modified	
9.1	Boiling point	Modified	
9.1	Flash point	Modified	
10.1	Reactivity	Modified	
10.2	Chemical stability	Removed	
10.3	Possibility of hazardous reactions	Removed	
10.4	Conditions to avoid	Modified	
10.5	Incompatible materials	Removed	
10.6	Hazardous decomposition products	Removed	
11.1	Potential adverse human health effects and symptoms	Removed	
12.1	Ecology - general	Added	
12.1	Ecology - water	Removed	
12.2	Persistence and degradability	Removed	
12.3	Bioaccumulative potential	Removed	
12.6	Other information	Removed	
13.1	Regional legislation (waste)	Added	
13.1	Additional information	Removed	
13.1	Waste disposal recommendations	Removed	
13.1	Ecology - waste materials	Removed	
15.1	REACH Annex XVII	Added	
15.2	Chemical safety assessment	Modified	
16	Data sources	Removed	
16	Other information	Removed	

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Muta. Not classified	Germ cell mutagenicity Not classified
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: may burst if heated
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet applicable for regions : NL

SDS EU (REACH Annex II) - Blygold

# C-clean

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*